

INVITATION TO BID (ITB)

Vendor / Company Name: _____

Date: _____

Cell phone: _____

Date: 1 st February 2024	No. of pages including this page: 4
Tender title: Xidig Volvo fishing boat, diesel engine and Material	Ref no:

Submission:

Completed tender documents (Mandatory Requirement along with the Quote) in sealed envelope clearly marked with the Xidig Volvo fishing boat, diesel engine and Material

Must be deposited in the tender box located at WVS Hargeisa Office before the deadline date and time (updated the date and time), and recorded in the attendance sheet.

Closing deadline: time: 4.00 pm date: 14th February 2024

Important:

Offers transmitted in any other manner than those indicated above will not be considered.

Requirements:

World Vision Somaliland invites pre-qualified and reputable Suppliers with proven experience in Supply of Indigenous local grass seed to make an offer based upon the conditions stated in this invitation to tender for the Items in Annex 1.

Your offer should clearly indicate:

1. Unit price as per the attached RFQ
2. Price should be net after deduction. Applicable Taxes must be clearly stipulated and separated from the base costs.
3. Validity of the offer.
4. Delivery time.

Information to bidders:

1. Currency of offer should preferably be in US Dollars, but in case local currency is offered, the comparison of offers will be based on the prevailing rate of exchange.
2. World Vision reserves the right to accept the whole or part of your offer.

3. World Vision Somaliland reserves the right to accept or reject any application (bid), and is not bound to give reasons for its decisions. Canvassing or giving false information will lead to automatic disqualification.
4. **Tender prices must remain valid for 90 days from the date of tender closing**

EVALUATION CRITERIA

1. Mandatory Requirements:

1. Provide a certified copy of a certificate of business registration.
2. Provide a certified copy of tax registration.
3. Provide references from previous customers

ANNEX 1: QUOTATION -FORM XIDIG VOLVO BOAT

No	Item Description	Unit	Quantity	Unit price USD	Total
1	Xidig Volvo fishing boat fiber glass body	piece	1		
2	Volvo boat new Chinese marine diesel engine Model 495BC	piece	1		
3	Corrosion Resistance anchor for holding boat	piece	2		
4	Nylon rope for Anchors 20mmX100m (Xadhkihii Baroosinka)	piece	2		
5	GPS (rugged handheld GPS), extrex 22	piece	1		
6	Net 36x5.5"x100mdx175Yard original	piece	16		
7	Nylon Rope for up and down 10mmx200m	piece	16		
8	Buoy for holding the nets 16 (S. Krea-25pcs each net,) Buoy for Holding the Nets. Type #6	piece	400		
9	Corrosion Resistance Anchor holding for nets (Baroosinka Shabaagta)	piece	4		
10	Nylon Rope for holding installed nets 12mX100m	piece	12		
				Total Cost	

Item description

Clarifications with pictures and their use

Volvo fishing boat fiber glass body and engine

Cover Shading of iron steel of the Boat



Xidig Boat ice & kit Boxes



Xidig Boat fibre glass body



1. One Xidig Volvo fishing boat fibre glass body (L) 8.5x (w) 3.3mx (H) 2.9m with installed accessories of (stand tube, Shaft, (Sabarad) rafaasad, Naqiisadda steering-isteerinka) etc. with iron shading Cover (dhigo hadh leh oo bir kasamaysan) etc. the fisheries will use fishing purpose and should have ice and tool boxes.
2. The Boat should be installed new Chinese marine diesel engine Model 495BC, 4 piston,40 HP with original engine water cooling system tubes, made it suitable for both low and high weather temperatures, and with the engine intermediate shaft/stunning with a box bulkhead.



Corrosion Resistance Anchors for Boat holdings (Baroosino)









2 anchors for boat holding made for your reference by metals of Carbon steel, stainless steel, Galvanized steel, the size will be standard and it surface should be high mirror plashed, galvanized and painted

Nylon rope for Anchors 20mmX100m (Xadhkihii Baroosinka)



2 separate pieces of Nylon twisted ropes, each with a size of 20mmx 100m. It will be

	used to connect and uphold harder for a boat anchor
GPS (rugged handheld GPS), extrex 22	 <p>1 GPS (rugged handle GPS) Extres 22, for navigating location, directions.</p>
Net 36x5.5"x100mdx175Yard original	 <p>16 Nets, for size of per net, 36x5.5"x100mdx175Yard original</p>
Nylon Rope for up and down 10mmx200m	 <p>16 Nylon Rope for up and down with each size of 10mmx200m to use for the fishing net instalment.</p>
Buoy for holding the nets 16 (S.Krea-25pcs each net, Buoy For Holding The Nets. Type #6	 <p>400 Buoy for holding the nets 16 (S.Krea-25pcs each net,) Buoy For Holding The Nets. Type #6, it will be used to uphold the nets during fishing activities</p>
Corrosion Resistance Anchor holding for nets (Baroosinka Shabaagta)	 <p>4 net anchors, should be paind/galvanized, for standard weight and size, it will be used to hold down for fishing nets</p>
Nylon Rope for holding installed nets 12mX100m	 <p>12 Nylon Rope for holding installed nets for size of each the Rope,12mX100m during fishing</p>